



REPORT No. : SZ17080130W02

CE RF TEST REPORT

MANUFACTURER : Shenzhen Chainway Information Technology Co.,Ltd.

PRODUCT NAME : Mobile Data Terminal

MODEL NAME : C71

TRADE NAME : CHAINWAY

BRAND NAME : CHAINWAY

STANDARD(S) : ETSI EN 301 908-1 V11.1.1
ETSI EN 301 908-2 V11.1.1
3GPP TS 34.121-1 V14.1.0
3GPP TS 34.121-2 V12.5.0

ISSUE DATE : 2017-10-13

SHENZHEN MORLAB COMMUNICATIONS TECHNOLOGY Co., Ltd.

NOTE: This document is issued by MORLAB, the test report shall not be reproduced except in full without prior written permission of the company. The test results apply only to the particular sample(s) tested and to the specific tests carried out which is available on request for validation and information confirmed at our website.

MORLAB GROUP

FL1-3, Building A, FeiYang Science Park, No.8 LongChang Road,
Block67, BaoAn District, ShenZhen , Guangdong Province, P. R. China

Tel: 86-755-36698555
[Http://www.morlab.com](http://www.morlab.com)

Fax: 86-755-36698525
E-mail: service@morlab.cn



DIRECTORY

TEST REPORT DECLARATION	3
1. TECHNICAL INFORMATION	4
1.1 APPLICANT INFORMATION	4
1.2 EQUIPMENT UNDER TEST (EUT) DESCRIPTION	4
1.2.1 PHOTOGRAPHS OF THE EUT	4
1.2.2 IDENTIFICATION OF ALL USED EUTs	4
2. TEST RESULTS	4
2.1 APPLIED REFERENCE DOCUMENTS	4
2.2 TEST CONDITIONS	5
2.3 TEST RESULTS LISTS	5
2.3.1 TERMS IN THE COLUMN "VERDICT" FOR THE TEST RESULTS LIST OF THIS SECTION:	5
ANNEX A TEST SETUP	12
ANNEX B CONDUCTED MAXIMUM OUTPUT POWER	14
ANNEX C CONDUCTED AND RADIATED SPURIOUS EMISSIONS.	15
ANNEX D PHOTOGRAPHS OF THE EUT	42
ANNEX E TEST UNCERTAINTY	44
ANNEX F GENERAL INFORMATION	46

Change History		
Issue	Date	Reason for change
1.0	2017-10-13	First edition



Test Report Declaration

Manufacturer	Shenzhen Chainway Information Technology Co.,Ltd.
Manufacturer Address	9/F, Building 2, Daqian Industrial Park, Longchang Rd., District 67, Bao'an, Shenzhen
Factory	Shenzhen Chainway Information Technology Co.,Ltd.
Factory Address	9/F, Building 2, Daqian Industrial Park, Longchang Rd., District 67, Bao'an, Shenzhen
Product Name	Mobile Data Terminal
Model Name	C71
Brand Name	CHAINWAY
HW Version	C70SE_MB_V11
SW Version	V1.0_60006735_20170424
Test Standards	ETSI EN 301 908-1 V11.1.1 ETSI EN 301 908-2 V11.1.1 3GPP TS 34.121-1 V14.1.0 3GPP TS 34.121-2 V12.5.0
Test Date	2017-08-16 to 2017-09-15
Test Result	PASS

Tested by : Xiachengzhi
Xia Chengzhi

Approved by : Peng Huarui
Peng Huarui



1. Technical Information

Note: Provide by manufacturer.

1.1 Applicant Information

Company: Shenzhen Chainway Information Technology Co.,Ltd.
Address: 9/F, Building 2, Daqian Industrial Park, Longchang Rd., District 67, Bao'an, Shenzhen

1.2 Equipment under Test (EUT) Description

Frequency Bands	WCDMA Band I/II/V/VIII
Modulation Mode	QPSK,16QAM
Power Class	WCDMA Band I/II/V/VIII:3
WCDMA Release Version:	R99
HSDPA Release Version:	Rel.5
HSUPA Release Version:	Rel.6
HSPA+ Release Version:	Rel.7
SIM cards description	SIM 1 and SIM 2 is a chipset unit and tested as a single chipset. The SIM 1 is chosen for test.

1.2.1 Photographs of the EUT

Please reference ANNEX D.

1.2.2 Identification of all used EUTs

The EUT identity consists of numerical and letter characters, the letter character indicates the test sample, and the following two numerical characters indicate the software version of the test sample.

EUT Identity	Hardware Version	Software Version
A01	C70SE_MB_V11	V1.0_60006735_20170424

2. Test Results

2.1 Applied Reference Documents

Leading reference documents for testing:

No.	Identity	Document Title
1	ETSI EN 301 908-1 V11.1.1 (2016-07)	IMT cellular networks; Harmonised Standard covering the essential requirements of article 3.2 of the Directive 2014/53/EU; Part 1: Introduction and common requirements
2	ETSI EN 301 908-2 V11.1.1 (2016-07)	IMT cellular networks; Harmonised Standard covering the essential requirements of article 3.2 of the Directive 2014/53/EU; Part 2: CDMA Direct Spread (UTRA FDD) User



No.	Identity	Document Title
		Equipment (UE)

Specific reference documents for testing:

No.	Identity	Document Title
3	3GPP TS 34.121-1 V14.1.0 (2017-03)	User Equipment (UE) conformance specification; Radio transmission and reception (FDD); Part 1: Conformance specification
4	3GPP TS 34.121-2 V12.5.0 (2017-01)	User Equipment (UE) conformance specification; Radio transmission and reception (FDD); Part 2: Implementation Conformance Statement (ICS)

2.2 Test Conditions

Test Environment Conditions:

Relative Humidity:	30 ... 75 %
Air Pressure:	98 ... 102 kPa
Temperature:	Normal Temperature (NT)= +20 °C to +25 °C Low Temperature (LT) = -20°C High Temperature (HT) = +45°C
Voltage of the EUT:	Normal Voltage (NV) = 3.8V Low Voltage (LV) = 3.5V High Voltage (HV) = 4.35V

Note: The EUT the highest extreme temperature should be 45 degrees and the lowest extreme temperature should be -20 degrees by safety test. (Declare by manufacturer.)

2.3 Test Results lists

2.3.1 Terms in the column "Verdict" for the test results list of this section:

Verdict	Description
PASS	EUT passed this test case
FAIL	EUT failed this test case
Decl.	"Declaration": Morlab has received documents from the applicant and/or manufacturer which show conformity to the applied standards for this test case.
N/A	Test case not applicable for the EUT, please see the column "Note" for detailed



Table A.1: The EN Requirements Table (EN-RT) (Ref. ETSI EN 301 908-1 Annex A)

ETSI EN301 908-1	EN-R (note): Test Descriptions & Test Conditions	FDD Band I		FDD Band II		FDD Band V		FDD Band VIII		Note
		EUT	Verdict	EUT	Verdict	EUT	Verdict	EUT	Verdict	
4.2.2	Radiated emissions (UE)	A01	<u>PASS</u>	A01	<u>PASS</u>	A01	<u>PASS</u>	A01	<u>PASS</u>	
4.2.4	Control and monitoring functions (UE)	A01	<u>PASS</u>	A01	<u>PASS</u>	A01	<u>PASS</u>	A01	<u>PASS</u>	

Table A.2: The EN Requirements Table (EN-RT) (Ref. ETSI EN 301 908-2 Annex A)

ETSI EN301 908-2	3GPP TS 34.121-1	EN-R(note): Test Descriptions & Test Conditions	FDD Band I		FDD Band II		Note
			EUT	Verdict	EUT	Verdict	
4.2.2	5.2	Transmitter Characteristics / Maximum Output Power NT / NV LT / LV LT / HV HT / LV HT / HV	A01	<u>PASS</u>	A01	<u>PASS</u>	
4.2.2	5.2A	UE Max Output Power with HS-PDCCH NT / NV LT / LV LT / HV HT / LV HT / HV	A01	<u>PASS</u>	A01	<u>PASS</u>	
4.2.2	5.2B	Transmitter Characteristics/ Maximum Output Power with HS-DPCCH and E-DCH NT / NV LT / LV LT / HV HT / LV HT / HV	A01	<u>PASS</u>	A01	<u>PASS</u>	
4.2.2	5.2E	UE Relative Code Domain Power Accuracy for HS-DPCCH and	A01	<u>PASS</u>	A01	<u>PASS</u>	



ETSI EN301 908-2	3GPP TS 34.121-1	EN-R(note): Test Descriptions & Test Conditions	FDD Band I		FDD Band II		Note
			EUT	Verdict	EUT	Verdict	
		E-DCH with 16QAM					
4.2.5	5.4.3	Transmitter Characteristics/ Output Power Dynamics in the Uplink/Minimum Output Power NT / NV LT / LV LT / HV HT / LV HT / HV	A01	<u>PASS</u>	A01	<u>PASS</u>	
			A01	<u>PASS</u>	A01	<u>PASS</u>	
			A01	<u>PASS</u>	A01	<u>PASS</u>	
			A01	<u>PASS</u>	A01	<u>PASS</u>	
			A01	<u>PASS</u>	A01	<u>PASS</u>	
4.2.11	5.4.4	Transmitter Characteristics / Output Power Dynamics in the Uplink/Out-of-synchronisation Handling of Output Power	A01	<u>PASS</u>	A01	<u>PASS</u>	
4.2.3	5.9	Transmitter Characteristics /Spectrum Emission Mask	A01	<u>PASS</u>	A01	<u>PASS</u>	
4.2.3	5.9A	Spectrum Emission Mask with HS-DPCCH	A01	<u>PASS</u>	A01	<u>PASS</u>	
4.2.3	5.9B	Spectrum Emission Mask with E-DCH	A01	<u>PASS</u>	A01	<u>PASS</u>	
4.2.12	5.10	Transmitter Characteristics/ Adjacent Channel Leakage Power Ratio (ACLR) NT / NV LT / LV LT / HV HT / LV HT / HV	A01	<u>PASS</u>	A01	<u>PASS</u>	
			A01	<u>PASS</u>	A01	<u>PASS</u>	
			A01	<u>PASS</u>	A01	<u>PASS</u>	
			A01	<u>PASS</u>	A01	<u>PASS</u>	
			A01	<u>PASS</u>	A01	<u>PASS</u>	
4.2.12	5.10A	Adjacent Channel Leakage Power Ratio (ACLR) with HS-DPCCH NT / NV LT / LV LT / HV HT / LV HT / HV	A01	<u>PASS</u>	A01	<u>PASS</u>	
			A01	<u>PASS</u>	A01	<u>PASS</u>	
			A01	<u>PASS</u>	A01	<u>PASS</u>	
			A01	<u>PASS</u>	A01	<u>PASS</u>	
			A01	<u>PASS</u>	A01	<u>PASS</u>	
4.2.12	5.10B	Adjacent Channel Leakage Power					



ETSI EN301 908-2	3GPP TS 34.121-1	EN-R(note): Test Descriptions & Test Conditions	FDD Band I		FDD Band II		Note
			EUT	Verdict	EUT	Verdict	
		Ratio (ACLR) with E-DCH NT / NV LT / LV LT / HV HT / LV HT / HV	A01	<u>PASS</u>	A01	<u>PASS</u>	
4.2.4	5.11	Transmitter Characteristics /Spurious Emissions	A01	<u>PASS</u>	A01	<u>PASS</u>	
4.2.13	6.2	Receiver Characteristics/ Reference Sensitivity Level NT / NV LT / LV LT / HV HT / LV HT / HV	A01	<u>PASS</u>	A01	<u>PASS</u>	
4.2.6	6.4	Receiver Characteristics / Adjacent Channel Selectivity (ACS) (Rel-99 and Rel-4)	A01	<u>PASS</u>	A01	<u>PASS</u>	
4.2.6	6.4A	Receiver Characteristics Adjacent Channel Selectivity (ACS) (Rel-5 and later releases)	A01	<u>PASS</u>	A01	<u>PASS</u>	
4.2.7	6.5	Receiver Characteristics / Blocking Characteristics	A01	<u>PASS</u>	A01	<u>PASS</u>	
4.2.8	6.6	Receiver Characteristics / Spurious Response	A01	<u>PASS</u>	A01	<u>PASS</u>	
4.2.9	6.7	Receiver Characteristics / Intermodulation Characteristics	A01	<u>PASS</u>	A01	<u>PASS</u>	
4.2.10	6.8	Receiver Characteristics / Spurious Emissions	A01	<u>PASS</u>	A01	<u>PASS</u>	



ETSI EN301 908-2	3GPP TS 34.121-1	EN-R(note): Test Descriptions & Test Conditions	FDD Band V		FDD Band VIII		Note
			EUT	Verdict	EUT	Verdict	
4.2.2	5.2	Transmitter Characteristics / Maximum Output Power NT / NV LT / LV LT / HV HT / LV HT / HV	A01	<u>PASS</u>	A01	<u>PASS</u>	
			A01	<u>PASS</u>	A01	<u>PASS</u>	
			A01	<u>PASS</u>	A01	<u>PASS</u>	
			A01	<u>PASS</u>	A01	<u>PASS</u>	
			A01	<u>PASS</u>	A01	<u>PASS</u>	
4.2.2	5.2A	UE Max Output Power with HS-PDCCH NT / NV LT / LV LT / HV HT / LV HT / HV	A01	<u>PASS</u>	A01	<u>PASS</u>	
			A01	<u>PASS</u>	A01	<u>PASS</u>	
			A01	<u>PASS</u>	A01	<u>PASS</u>	
			A01	<u>PASS</u>	A01	<u>PASS</u>	
			A01	<u>PASS</u>	A01	<u>PASS</u>	
4.2.2	5.2B	Transmitter Characteristics/ Maximum Output Power with HS-DPCCH and E-DCH NT / NV LT / LV LT / HV HT / LV HT / HV	A01	<u>PASS</u>	A01	<u>PASS</u>	
			A01	<u>PASS</u>	A01	<u>PASS</u>	
			A01	<u>PASS</u>	A01	<u>PASS</u>	
			A01	<u>PASS</u>	A01	<u>PASS</u>	
			A01	<u>PASS</u>	A01	<u>PASS</u>	
4.2.2	5.2E	UE Relative Code Domain Power Accuracy for HS-DPCCH and E-DCH with 16QAM	A01	<u>PASS</u>	A01	<u>PASS</u>	
4.2.5	5.4.3	Transmitter Characteristics/ Output Power Dynamics in the Uplink/Minimum Output Power NT / NV LT / LV LT / HV HT / LV HT / HV	A01	<u>PASS</u>	A01	<u>PASS</u>	
			A01	<u>PASS</u>	A01	<u>PASS</u>	
			A01	<u>PASS</u>	A01	<u>PASS</u>	
			A01	<u>PASS</u>	A01	<u>PASS</u>	
			A01	<u>PASS</u>	A01	<u>PASS</u>	
4.2.11	5.4.4	Transmitter Characteristics / Output Power Dynamics in the	A01	<u>PASS</u>	A01	<u>PASS</u>	




ETSI EN301 908-2	3GPP TS 34.121-1	EN-R(note): Test Descriptions & Test Conditions	FDD Band V		FDD Band VIII		Note
			EUT	Verdict	EUT	Verdict	
		Uplink/Out-of-synchronisation Handling of Output Power					
4.2.3	5.9	Transmitter Characteristics /Spectrum Emission Mask	A01	<u>PASS</u>	A01	<u>PASS</u>	
4.2.3	5.9A	Spectrum Emission Mask with HS-DPCCH	A01	<u>PASS</u>	A01	<u>PASS</u>	
4.2.3	5.9B	Spectrum Emission Mask with E-DCH	A01	<u>PASS</u>	A01	<u>PASS</u>	
4.2.12	5.10	Transmitter Characteristics/ Adjacent Channel Leakage Power Ratio (ACLR) NT / NV LT / LV LT / HV HT / LV HT / HV	A01 A01 A01 A01 A01	<u>PASS</u> <u>PASS</u> <u>PASS</u> <u>PASS</u> <u>PASS</u>	A01 A01 A01 A01 A01	<u>PASS</u> <u>PASS</u> <u>PASS</u> <u>PASS</u> <u>PASS</u>	
4.2.12	5.10A	Adjacent Channel Leakage Power Ratio (ACLR) with HS-DPCCH NT / NV LT / LV LT / HV HT / LV HT / HV	A01 A01 A01 A01 A01	<u>PASS</u> <u>PASS</u> <u>PASS</u> <u>PASS</u> <u>PASS</u>	A01 A01 A01 A01 A01	<u>PASS</u> <u>PASS</u> <u>PASS</u> <u>PASS</u> <u>PASS</u>	
4.2.12	5.10B	Adjacent Channel Leakage Power Ratio (ACLR) with E-DCH NT / NV LT / LV LT / HV HT / LV HT / HV	A01 A01 A01 A01 A01	<u>PASS</u> <u>PASS</u> <u>PASS</u> <u>PASS</u> <u>PASS</u>	A01 A01 A01 A01 A01	<u>PASS</u> <u>PASS</u> <u>PASS</u> <u>PASS</u> <u>PASS</u>	
4.2.4	5.11	Transmitter Characteristics /Spurious Emissions	A01	<u>PASS</u>	A01	<u>PASS</u>	
4.2.13	6.2	Receiver Characteristics/ Reference Sensitivity Level NT / NV	A01	<u>PASS</u>	A01	<u>PASS</u>	




ETSI EN301 908-2	3GPP TS 34.121-1	EN-R(note): Test Descriptions & Test Conditions	FDD Band V		FDD Band VIII		Note
			EUT	Verdict	EUT	Verdict	
		LT / LV LT / HV HT / LV HT / HV	A01 A01 A01 A01	<u>PASS</u> <u>PASS</u> <u>PASS</u> <u>PASS</u>	A01 A01 A01 A01	<u>PASS</u> <u>PASS</u> <u>PASS</u> <u>PASS</u>	
4.2.6	6.4	Receiver Characteristics / Adjacent Channel Selectivity (ACS) (Rel-99 and Rel-4)	A01	<u>PASS</u>	A01	<u>PASS</u>	
4.2.6	6.4A	Receiver Characteristics Adjacent Channel Selectivity (ACS) (Rel-5 and later releases)	A01	<u>PASS</u>	A01	<u>PASS</u>	
4.2.7	6.5	Receiver Characteristics / Blocking Characteristics	A01	<u>PASS</u>	A01	<u>PASS</u>	
4.2.8	6.6	Receiver Characteristics / Spurious Response	A01	<u>PASS</u>	A01	<u>PASS</u>	
4.2.9	6.7	Receiver Characteristics / Intermodulation Characteristics	A01	<u>PASS</u>	A01	<u>PASS</u>	
4.2.10	6.8	Receiver Characteristics / Spurious Emissions	A01	<u>PASS</u>	A01	<u>PASS</u>	

Annex A Test Setup


1. Radiated Spurious Emission Test Setup



The EUT, which is powered by the Battery charged with the AC Adapter, is located in a 3m Full-Anechoic Chamber; the cable loss, air loss and so on of the site as factors are pre-calibrated using the "Substitution" method, and calculated to correct the reading. A call is established between the EUT and the SS via a Common Antenna. The EUT is commanded by the SS to operate at the maximum and minimum output power (i.e. GSM1800MHz band Power Control Level (PCL) = 0/15 and Power Class = 1), and only the test result of the maximum output power was recorded.



2. GS8800 Test Setup





Annex B Conducted Maximum Output Power

Mode	Band I (dBm)	Band II (dBm)	Band V (dBm)	Band VIII(dBm)
WCDMA	23.38	23.52	22.74	22.90
HSDPA	22.68	22.37	21.8	21.89
HSUPA	22.59	22.24	21.77	21.85
HSPA+	21.46	21.31	20.99	21.18



Annex C Conducted and Radiated Spurious Emissions

1. Conducted spurious emissions.

Frequency Band	Test Condition Range Start(MHz)	Test Condition Range Stop (MHz)	Measured Value(dBm)	Pass/Fail
Band I	0.009	0.15	-80.13	PASS
Band I	0.009	0.15	-83.6	PASS
Band I	0.009	0.15	-86.53	PASS
Band I	0.15	30	-85.49	PASS
Band I	0.15	30	-85.57	PASS
Band I	0.15	30	-85.9	PASS
Band I	30	860	-75	PASS
Band I	30	860	-75.26	PASS
Band I	30	860	-76.31	PASS
Band I	860	895	-89.29	PASS
Band I	860	895	-90.51	PASS
Band I	860	895	-90.75	PASS
Band I	895	921	-73.86	PASS
Band I	895	921	-75.95	PASS
Band I	895	921	-76.42	PASS
Band I	921	925	-91.2	PASS
Band I	921	925	-91.57	PASS
Band I	921	925	-91.78	PASS
Band I	925	935	-90.07	PASS
Band I	925	935	-90.08	PASS
Band I	925	935	-91.77	PASS
Band I	935	960	-89.7	PASS
Band I	935	960	-90.04	PASS
Band I	935	960	-91.03	PASS
Band I	960	1000	-75.81	PASS
Band I	960	1000	-75.84	PASS
Band I	960	1000	-76.24	PASS
Band I	1000	1510.9	-79.38	PASS
Band I	1000	1510.9	-79.67	PASS
Band I	1000	1510.9	-79.7	PASS
Band I	1510.9	1805	-76.83	PASS
Band I	1510.9	1805	-77.16	PASS



Frequency Band	Test Condition Range Start(MHz)	Test Condition Range Stop (MHz)	Measured Value(dBm)	Pass/Fail
Band I	1510.9	1805	-77.31	PASS
Band I	1805	1844.9	-77.3	PASS
Band I	1805	1844.9	-77.44	PASS
Band I	1805	1844.9	-77.7	PASS
Band I	1844.9	1880	-76.18	PASS
Band I	1844.9	1880	-77.63	PASS
Band I	1844.9	1880	-77.71	PASS
Band I	1880	1884.5	-62.62	PASS
Band I	1880	1884.5	-62.73	PASS
Band I	1880	1884.5	-62.87	PASS
Band I	1884.5	1915.7	-38.93	PASS
Band I	1884.5	1915.7	-39.02	PASS
Band I	1884.5	1915.7	-39.44	PASS
Band I	1915.7	12750	-39.21	PASS
Band I	1915.7	12750	-39.72	PASS
Band I	1915.7	12750	-41.12	PASS
Band I	860	895	-72.98	PASS
Band I	860	895	-73.41	PASS
Band I	860	895	-73.77	PASS
Band I	921	925	-90.51	PASS
Band I	921	925	-92.15	PASS
Band I	921	925	-92.36	PASS
Band I	921	925	-92.41	PASS
Band I	921	925	-92.64	PASS
Band I	921	925	-92.67	PASS
Band I	925	935	-90.78	PASS
Band I	925	935	-91.52	PASS
Band I	925	935	-92.4	PASS
Band I	925	935	-92.41	PASS
Band I	925	935	-92.7	PASS
Band I	925	935	-93.02	PASS
Band I	925	935	-71.96	PASS
Band I	925	935	-72.31	PASS
Band I	925	935	-72.76	PASS
Band I	935	960	-89.8	PASS



Frequency Band	Test Condition Range Start(MHz)	Test Condition Range Stop (MHz)	Measured Value(dBm)	Pass/Fail
Band I	935	960	-90.1	PASS
Band I	935	960	-90.56	PASS
Band I	935	960	-90.72	PASS
Band I	935	960	-90.81	PASS
Band I	935	960	-90.88	PASS
Band I	1475.9	1510.9	-69.89	PASS
Band I	1475.9	1510.9	-71.97	PASS
Band I	1475.9	1510.9	-72.09	PASS
Band I	1805	1880	-86.66	PASS
Band I	1805	1880	-86.88	PASS
Band I	1805	1880	-87.09	PASS
Band I	1805	1880	-87.09	PASS
Band I	1805	1880	-87.12	PASS
Band I	1805	1880	-87.15	PASS
Band I	1844.9	1879.9	-68.98	PASS
Band I	1844.9	1879.9	-69.35	PASS
Band I	1844.9	1879.9	-70.05	PASS
Band I	1884.5	1915.7	-47.19	PASS
Band I	1884.5	1915.7	-48.2	PASS
Band I	1884.5	1915.7	-51.96	PASS
Band I	2110	2170	-68.54	PASS
Band I	2110	2170	-68.65	PASS
Band I	2110	2170	-69.16	PASS
Band I	2620	2690	-68.43	PASS
Band I	2620	2690	-68.48	PASS
Band I	2620	2690	-68.71	PASS
Band I	0.009	0.15	-78.11	PASS
Band I	0.009	0.15	-83.42	PASS
Band I	0.009	0.15	-85.83	PASS
Band I	0.15	30	-84.49	PASS
Band I	0.15	30	-85.63	PASS
Band I	0.15	30	-85.94	PASS
Band I	30	860	-74.4	PASS
Band I	30	860	-75.91	PASS
Band I	30	860	-76.36	PASS



Frequency Band	Test Condition Range Start(MHz)	Test Condition Range Stop (MHz)	Measured Value(dBm)	Pass/Fail
Band I	860	895	-88.81	PASS
Band I	860	895	-90.36	PASS
Band I	860	895	-90.7	PASS
Band I	895	921	-75.76	PASS
Band I	895	921	-75.88	PASS
Band I	895	921	-75.93	PASS
Band I	921	925	-91.68	PASS
Band I	921	925	-91.85	PASS
Band I	921	925	-92.1	PASS
Band I	925	935	-91.38	PASS
Band I	925	935	-91.62	PASS
Band I	925	935	-91.82	PASS
Band I	935	960	-88.47	PASS
Band I	935	960	-88.66	PASS
Band I	935	960	-90.11	PASS
Band I	960	1000	-74.95	PASS
Band I	960	1000	-75	PASS
Band I	960	1000	-75.01	PASS
Band I	1000	1510.9	-79.16	PASS
Band I	1000	1510.9	-79.29	PASS
Band I	1000	1510.9	-79.41	PASS
Band I	1510.9	1805	-76.31	PASS
Band I	1510.9	1805	-77.45	PASS
Band I	1510.9	1805	-77.68	PASS
Band I	1805	1844.9	-77.42	PASS
Band I	1805	1844.9	-77.46	PASS
Band I	1805	1844.9	-77.55	PASS
Band I	1844.9	1880	-75.65	PASS
Band I	1844.9	1880	-76.04	PASS
Band I	1844.9	1880	-76.57	PASS
Band I	1880	1884.5	-62.23	PASS
Band I	1880	1884.5	-63.18	PASS
Band I	1880	1884.5	-63.19	PASS
Band I	1884.5	1915.7	-43.99	PASS
Band I	1884.5	1915.7	-44.27	PASS



Frequency Band	Test Condition Range Start(MHz)	Test Condition Range Stop (MHz)	Measured Value(dBm)	Pass/Fail
Band I	1884.5	1915.7	-44.42	PASS
Band I	1915.7	12750	-36.49	PASS
Band I	1915.7	12750	-37.03	PASS
Band I	1915.7	12750	-46.53	PASS
Band I	860	895	-72.28	PASS
Band I	860	895	-73.42	PASS
Band I	860	895	-73.55	PASS
Band I	921	925	-90.39	PASS
Band I	921	925	-91.04	PASS
Band I	921	925	-92.14	PASS
Band I	921	925	-93.15	PASS
Band I	921	925	-93.17	PASS
Band I	921	925	-93.19	PASS
Band I	925	935	-89.4	PASS
Band I	925	935	-90.37	PASS
Band I	925	935	-90.89	PASS
Band I	925	935	-91	PASS
Band I	925	935	-91.76	PASS
Band I	925	935	-91.79	PASS
Band I	925	935	-72.89	PASS
Band I	925	935	-72.97	PASS
Band I	925	935	-73.17	PASS
Band I	935	960	-90.38	PASS
Band I	935	960	-90.64	PASS
Band I	935	960	-90.95	PASS
Band I	935	960	-91	PASS
Band I	935	960	-91.04	PASS
Band I	935	960	-91.22	PASS
Band I	1475.9	1510.9	-72.16	PASS
Band I	1475.9	1510.9	-72.23	PASS
Band I	1475.9	1510.9	-72.41	PASS
Band I	1805	1880	-86.05	PASS
Band I	1805	1880	-86.46	PASS
Band I	1805	1880	-86.54	PASS
Band I	1805	1880	-86.77	PASS



Frequency Band	Test Condition Range Start(MHz)	Test Condition Range Stop (MHz)	Measured Value(dBm)	Pass/Fail
Band I	1805	1880	-86.93	PASS
Band I	1805	1880	-87.04	PASS
Band I	1844.9	1879.9	-69.02	PASS
Band I	1844.9	1879.9	-69.63	PASS
Band I	1844.9	1879.9	-70.24	PASS
Band I	1884.5	1915.7	-49.98	PASS
Band I	1884.5	1915.7	-50.1	PASS
Band I	1884.5	1915.7	-50.24	PASS
Band I	2110	2170	-68.68	PASS
Band I	2110	2170	-69.12	PASS
Band I	2110	2170	-69.43	PASS
Band I	2620	2690	-68.89	PASS
Band I	2620	2690	-69.26	PASS
Band I	2620	2690	-69.33	PASS
Band I	0.009	0.15	-79.16	PASS
Band I	0.009	0.15	-83.84	PASS
Band I	0.009	0.15	-85.67	PASS
Band I	0.15	30	-84.68	PASS
Band I	0.15	30	-86.64	PASS
Band I	0.15	30	-87.48	PASS
Band I	30	860	-76.03	PASS
Band I	30	860	-76.08	PASS
Band I	30	860	-76.5	PASS
Band I	860	895	-90.64	PASS
Band I	860	895	-90.68	PASS
Band I	860	895	-90.75	PASS
Band I	895	921	-75.94	PASS
Band I	895	921	-76.41	PASS
Band I	895	921	-76.46	PASS
Band I	921	925	-90.99	PASS
Band I	921	925	-91.18	PASS
Band I	921	925	-91.55	PASS
Band I	925	935	-91.06	PASS
Band I	925	935	-91.56	PASS
Band I	925	935	-91.87	PASS



Frequency Band	Test Condition Range Start(MHz)	Test Condition Range Stop (MHz)	Measured Value(dBm)	Pass/Fail
Band I	935	960	-89.45	PASS
Band I	935	960	-89.7	PASS
Band I	935	960	-90.07	PASS
Band I	960	1000	-75.03	PASS
Band I	960	1000	-75.93	PASS
Band I	960	1000	-76.05	PASS
Band I	1000	1510.9	-78.94	PASS
Band I	1000	1510.9	-78.99	PASS
Band I	1000	1510.9	-79.01	PASS
Band I	1510.9	1805	-75.83	PASS
Band I	1510.9	1805	-77.53	PASS
Band I	1510.9	1805	-77.65	PASS
Band I	1805	1844.9	-76.95	PASS
Band I	1805	1844.9	-76.97	PASS
Band I	1805	1844.9	-77.49	PASS
Band I	1844.9	1880	-76.97	PASS
Band I	1844.9	1880	-77.08	PASS
Band I	1844.9	1880	-77.44	PASS
Band I	1880	1884.5	-62.62	PASS
Band I	1880	1884.5	-63.26	PASS
Band I	1880	1884.5	-63.27	PASS
Band I	1884.5	1915.7	-44.74	PASS
Band I	1884.5	1915.7	-44.99	PASS
Band I	1884.5	1915.7	-45.17	PASS
Band I	1915.7	12750	-37.69	PASS
Band I	1915.7	12750	-37.9	PASS
Band I	1915.7	12750	-41.52	PASS
Band I	860	895	-73.12	PASS
Band I	860	895	-73.43	PASS
Band I	860	895	-73.77	PASS
Band I	921	925	-89.22	PASS
Band I	921	925	-91.47	PASS
Band I	921	925	-91.73	PASS
Band I	921	925	-91.77	PASS
Band I	921	925	-92.08	PASS



Frequency Band	Test Condition Range Start(MHz)	Test Condition Range Stop (MHz)	Measured Value(dBm)	Pass/Fail
Band I	921	925	-92.25	PASS
Band I	925	935	-91.29	PASS
Band I	925	935	-92.04	PASS
Band I	925	935	-92.22	PASS
Band I	925	935	-92.57	PASS
Band I	925	935	-92.64	PASS
Band I	925	935	-92.66	PASS
Band I	925	935	-71.99	PASS
Band I	925	935	-72.63	PASS
Band I	925	935	-73.07	PASS
Band I	935	960	-90.31	PASS
Band I	935	960	-90.33	PASS
Band I	935	960	-91.28	PASS
Band I	935	960	-91.3	PASS
Band I	935	960	-91.51	PASS
Band I	935	960	-91.79	PASS
Band I	1475.9	1510.9	-71.1	PASS
Band I	1475.9	1510.9	-71.66	PASS
Band I	1475.9	1510.9	-71.93	PASS
Band I	1805	1880	-85.58	PASS
Band I	1805	1880	-86.07	PASS
Band I	1805	1880	-86.22	PASS
Band I	1805	1880	-86.67	PASS
Band I	1805	1880	-86.75	PASS
Band I	1805	1880	-86.76	PASS
Band I	1844.9	1879.9	-68.61	PASS
Band I	1844.9	1879.9	-69.88	PASS
Band I	1844.9	1879.9	-70.28	PASS
Band I	1884.5	1915.7	-50.56	PASS
Band I	1884.5	1915.7	-51.5	PASS
Band I	1884.5	1915.7	-51.51	PASS
Band I	2110	2170	-69.32	PASS
Band I	2110	2170	-69.52	PASS
Band I	2110	2170	-69.86	PASS
Band I	2620	2690	-68.54	PASS



Frequency Band	Test Condition Range Start(MHz)	Test Condition Range Stop (MHz)	Measured Value(dBm)	Pass/Fail
Band I	2620	2690	-68.65	PASS
Band I	2620	2690	-68.73	PASS
Band II	0.009	0.15	-78.6	PASS
Band II	0.009	0.15	-88.15	PASS
Band II	0.009	0.15	-88.49	PASS
Band II	0.15	30	-85.06	PASS
Band II	0.15	30	-85.31	PASS
Band II	0.15	30	-85.65	PASS
Band II	30	894	-74.97	PASS
Band II	30	894	-75.6	PASS
Band II	30	894	-76.92	PASS
Band II	894	1000	-74.74	PASS
Band II	894	1000	-75.14	PASS
Band II	894	1000	-75.34	PASS
Band II	1000	1990	-36.47	PASS
Band II	1000	1990	-36.53	PASS
Band II	1000	1990	-36.59	PASS
Band II	1990	2110	-57.69	PASS
Band II	1990	2110	-59.76	PASS
Band II	1990	2110	-59.97	PASS
Band II	2110	2170	-59.43	PASS
Band II	2110	2170	-60.22	PASS
Band II	2110	2170	-60.52	PASS
Band II	2170	12750	-53.69	PASS
Band II	2170	12750	-54.62	PASS
Band II	2170	12750	-54.67	PASS
Band II	729	746	-68.41	PASS
Band II	729	746	-68.43	PASS
Band II	729	746	-68.53	PASS
Band II	746	758	-68.41	PASS
Band II	746	758	-68.45	PASS
Band II	746	758	-68.6	PASS
Band II	758	768	-68.69	PASS
Band II	758	768	-68.72	PASS
Band II	758	768	-68.79	PASS



Frequency Band	Test Condition Range Start(MHz)	Test Condition Range Stop (MHz)	Measured Value(dBm)	Pass/Fail
Band II	869	894	-73.51	PASS
Band II	869	894	-73.6	PASS
Band II	869	894	-73.69	PASS
Band II	1930	1990	-66.18	PASS
Band II	1930	1990	-66.22	PASS
Band II	1930	1990	-66.56	PASS
Band II	2110	2170	-67.03	PASS
Band II	2110	2170	-67.24	PASS
Band II	2110	2170	-67.26	PASS
Band II	0.009	0.15	-78.46	PASS
Band II	0.009	0.15	-85.15	PASS
Band II	0.009	0.15	-85.56	PASS
Band II	0.15	30	-83.85	PASS
Band II	0.15	30	-86.04	PASS
Band II	0.15	30	-86.22	PASS
Band II	30	894	-75.45	PASS
Band II	30	894	-75.91	PASS
Band II	30	894	-76.27	PASS
Band II	894	1000	-75.54	PASS
Band II	894	1000	-75.69	PASS
Band II	894	1000	-75.75	PASS
Band II	1000	1990	-36.12	PASS
Band II	1000	1990	-37.07	PASS
Band II	1000	1990	-37.87	PASS
Band II	1990	2110	-60.33	PASS
Band II	1990	2110	-60.46	PASS
Band II	1990	2110	-60.58	PASS
Band II	2110	2170	-60.21	PASS
Band II	2110	2170	-60.27	PASS
Band II	2110	2170	-60.56	PASS
Band II	2170	12750	-53.46	PASS
Band II	2170	12750	-54.84	PASS
Band II	2170	12750	-54.95	PASS
Band II	729	746	-68.42	PASS
Band II	729	746	-68.52	PASS



Frequency Band	Test Condition Range Start(MHz)	Test Condition Range Stop (MHz)	Measured Value(dBm)	Pass/Fail
Band II	729	746	-68.52	PASS
Band II	746	758	-68.43	PASS
Band II	746	758	-68.45	PASS
Band II	746	758	-68.63	PASS
Band II	758	768	-68.59	PASS
Band II	758	768	-68.67	PASS
Band II	758	768	-68.7	PASS
Band II	869	894	-72.66	PASS
Band II	869	894	-73.69	PASS
Band II	869	894	-73.91	PASS
Band II	1930	1990	-66.28	PASS
Band II	1930	1990	-66.41	PASS
Band II	1930	1990	-66.57	PASS
Band II	2110	2170	-66.96	PASS
Band II	2110	2170	-66.99	PASS
Band II	2110	2170	-67.35	PASS
Band II	0.009	0.15	-84.79	PASS
Band II	0.009	0.15	-87.31	PASS
Band II	0.009	0.15	-87.91	PASS
Band II	0.15	30	-84.84	PASS
Band II	0.15	30	-85.57	PASS
Band II	0.15	30	-85.86	PASS
Band II	30	894	-75.71	PASS
Band II	30	894	-76.12	PASS
Band II	30	894	-76.32	PASS
Band II	894	1000	-74.98	PASS
Band II	894	1000	-75.67	PASS
Band II	894	1000	-75.85	PASS
Band II	1000	1990	-44.66	PASS
Band II	1000	1990	-44.69	PASS
Band II	1000	1990	-44.81	PASS
Band II	1990	2110	-59.94	PASS
Band II	1990	2110	-60.12	PASS
Band II	1990	2110	-60.24	PASS
Band II	2110	2170	-60.01	PASS



Frequency Band	Test Condition Range Start(MHz)	Test Condition Range Stop (MHz)	Measured Value(dBm)	Pass/Fail
Band II	2110	2170	-60.09	PASS
Band II	2110	2170	-60.19	PASS
Band II	2170	12750	-54.03	PASS
Band II	2170	12750	-54.36	PASS
Band II	2170	12750	-54.41	PASS
Band II	729	746	-68.43	PASS
Band II	729	746	-68.48	PASS
Band II	729	746	-68.55	PASS
Band II	746	758	-68.5	PASS
Band II	746	758	-68.54	PASS
Band II	746	758	-68.63	PASS
Band II	758	768	-68.69	PASS
Band II	758	768	-68.69	PASS
Band II	758	768	-68.77	PASS
Band II	869	894	-72.61	PASS
Band II	869	894	-73.21	PASS
Band II	869	894	-73.49	PASS
Band II	1930	1990	-66.61	PASS
Band II	1930	1990	-67.32	PASS
Band II	1930	1990	-67.4	PASS
Band II	2110	2170	-66.43	PASS
Band II	2110	2170	-66.63	PASS
Band II	2110	2170	-66.67	PASS
Band V	0.009	0.15	-79.98	PASS
Band V	0.009	0.15	-89.73	PASS
Band V	0.009	0.15	-89.77	PASS
Band V	0.15	30	-85.03	PASS
Band V	0.15	30	-85.04	PASS
Band V	0.15	30	-86.14	PASS
Band V	30	894	-49.01	PASS
Band V	30	894	-50.51	PASS
Band V	30	894	-50.85	PASS
Band V	894	1000	-74.54	PASS
Band V	894	1000	-75.11	PASS
Band V	894	1000	-75.7	PASS



Frequency Band	Test Condition Range Start(MHz)	Test Condition Range Stop (MHz)	Measured Value(dBm)	Pass/Fail
Band V	1000	1990	-59.49	PASS
Band V	1000	1990	-59.65	PASS
Band V	1000	1990	-62.73	PASS
Band V	1990	2110	-63.47	PASS
Band V	1990	2110	-63.86	PASS
Band V	1990	2110	-64.02	PASS
Band V	2110	2170	-62.44	PASS
Band V	2110	2170	-63.23	PASS
Band V	2110	2170	-63.51	PASS
Band V	2170	12750	-45.79	PASS
Band V	2170	12750	-50.85	PASS
Band V	2170	12750	-52.25	PASS
Band V	729	746	-71.81	PASS
Band V	729	746	-72.14	PASS
Band V	729	746	-72.22	PASS
Band V	746	756	-71.71	PASS
Band V	746	756	-72	PASS
Band V	746	756	-72.06	PASS
Band V	758	768	-69.33	PASS
Band V	758	768	-71.12	PASS
Band V	758	768	-72.05	PASS
Band V	869	894	-71.35	PASS
Band V	869	894	-71.45	PASS
Band V	869	894	-72.06	PASS
Band V	1930	1990	-71.41	PASS
Band V	1930	1990	-71.49	PASS
Band V	1930	1990	-71.52	PASS
Band V	2110	2170	-68.75	PASS
Band V	2110	2170	-70.37	PASS
Band V	2110	2170	-70.69	PASS
Band V	0.009	0.15	-78.39	PASS
Band V	0.009	0.15	-86.35	PASS
Band V	0.009	0.15	-87.03	PASS
Band V	0.15	30	-84.48	PASS
Band V	0.15	30	-85.26	PASS



Frequency Band	Test Condition Range Start(MHz)	Test Condition Range Stop (MHz)	Measured Value(dBm)	Pass/Fail
Band V	0.15	30	-85.47	PASS
Band V	30	894	-47.77	PASS
Band V	30	894	-48.73	PASS
Band V	30	894	-49.04	PASS
Band V	894	1000	-73.37	PASS
Band V	894	1000	-75.02	PASS
Band V	894	1000	-75.5	PASS
Band V	1000	1990	-58.27	PASS
Band V	1000	1990	-59.08	PASS
Band V	1000	1990	-62.78	PASS
Band V	1990	2110	-63.31	PASS
Band V	1990	2110	-63.74	PASS
Band V	1990	2110	-63.94	PASS
Band V	2110	2170	-63.79	PASS
Band V	2110	2170	-63.8	PASS
Band V	2110	2170	-64.07	PASS
Band V	2170	12750	-43.91	PASS
Band V	2170	12750	-53.11	PASS
Band V	2170	12750	-53.21	PASS
Band V	729	746	-70.8	PASS
Band V	729	746	-71.71	PASS
Band V	729	746	-72.43	PASS
Band V	746	756	-71.54	PASS
Band V	746	756	-71.83	PASS
Band V	746	756	-71.96	PASS
Band V	758	768	-69.51	PASS
Band V	758	768	-70.59	PASS
Band V	758	768	-71.64	PASS
Band V	869	894	-71.45	PASS
Band V	869	894	-71.56	PASS
Band V	869	894	-71.73	PASS
Band V	1930	1990	-70.67	PASS
Band V	1930	1990	-70.94	PASS
Band V	1930	1990	-71	PASS
Band V	2110	2170	-71.05	PASS



Frequency Band	Test Condition Range Start(MHz)	Test Condition Range Stop (MHz)	Measured Value(dBm)	Pass/Fail
Band V	2110	2170	-71.36	PASS
Band V	2110	2170	-71.37	PASS
Band V	0.009	0.15	-79.71	PASS
Band V	0.009	0.15	-84.39	PASS
Band V	0.009	0.15	-89.73	PASS
Band V	0.15	30	-85.93	PASS
Band V	0.15	30	-86.03	PASS
Band V	0.15	30	-86.14	PASS
Band V	30	894	-48.29	PASS
Band V	30	894	-49.02	PASS
Band V	30	894	-49.12	PASS
Band V	894	1000	-73.28	PASS
Band V	894	1000	-74.14	PASS
Band V	894	1000	-75.16	PASS
Band V	1000	1990	-57.4	PASS
Band V	1000	1990	-62.05	PASS
Band V	1000	1990	-62.77	PASS
Band V	1990	2110	-62.04	PASS
Band V	1990	2110	-63.41	PASS
Band V	1990	2110	-63.65	PASS
Band V	2110	2170	-62.45	PASS
Band V	2110	2170	-63.84	PASS
Band V	2110	2170	-63.86	PASS
Band V	2170	12750	-48.7	PASS
Band V	2170	12750	-52	PASS
Band V	2170	12750	-58.75	PASS
Band V	729	746	-71.99	PASS
Band V	729	746	-72.05	PASS
Band V	729	746	-72.08	PASS
Band V	746	756	-71.2	PASS
Band V	746	756	-72.17	PASS
Band V	746	756	-72.17	PASS
Band V	758	768	-70.85	PASS
Band V	758	768	-71.25	PASS
Band V	758	768	-71.43	PASS



Frequency Band	Test Condition Range Start(MHz)	Test Condition Range Stop (MHz)	Measured Value(dBm)	Pass/Fail
Band V	869	894	-70.8	PASS
Band V	869	894	-70.95	PASS
Band V	869	894	-71.66	PASS
Band V	1930	1990	-71.02	PASS
Band V	1930	1990	-71.23	PASS
Band V	1930	1990	-71.32	PASS
Band V	2110	2170	-70.84	PASS
Band V	2110	2170	-71.25	PASS
Band V	2110	2170	-71.27	PASS
Band VIII	0.009	0.15	-86.79	PASS
Band VIII	0.009	0.15	-90.06	PASS
Band VIII	0.009	0.15	-90.17	PASS
Band VIII	0.15	30	-85.9	PASS
Band VIII	0.15	30	-85.95	PASS
Band VIII	0.15	30	-86.55	PASS
Band VIII	30	925	-52.17	PASS
Band VIII	30	925	-53.27	PASS
Band VIII	30	925	-53.95	PASS
Band VIII	925	935	-87.78	PASS
Band VIII	925	935	-88.68	PASS
Band VIII	925	935	-89.7	PASS
Band VIII	935	960	-87.72	PASS
Band VIII	935	960	-88.4	PASS
Band VIII	935	960	-88.43	PASS
Band VIII	960	1000	-74.51	PASS
Band VIII	960	1000	-75	PASS
Band VIII	960	1000	-75.9	PASS
Band VIII	1000	1805	-61.12	PASS
Band VIII	1000	1805	-61.45	PASS
Band VIII	1000	1805	-62.67	PASS
Band VIII	1805	1830	-77.64	PASS
Band VIII	1805	1830	-78.18	PASS
Band VIII	1805	1830	-78.83	PASS
Band VIII	1830	1880	-88.17	PASS
Band VIII	1830	1880	-88.19	PASS



Frequency Band	Test Condition Range Start(MHz)	Test Condition Range Stop (MHz)	Measured Value(dBm)	Pass/Fail
Band VIII	1830	1880	-88.56	PASS
Band VIII	1880	2110	-63.48	PASS
Band VIII	1880	2110	-64.02	PASS
Band VIII	1880	2110	-64.06	PASS
Band VIII	2110	2170	-63.57	PASS
Band VIII	2110	2170	-63.74	PASS
Band VIII	2110	2170	-64.16	PASS
Band VIII	2170	2585	-63.65	PASS
Band VIII	2170	2585	-63.88	PASS
Band VIII	2170	2585	-64.16	PASS
Band VIII	2585	2640	-63.39	PASS
Band VIII	2585	2640	-63.45	PASS
Band VIII	2585	2640	-63.51	PASS
Band VIII	2640	2690	-61.01	PASS
Band VIII	2640	2690	-61.35	PASS
Band VIII	2640	2690	-61.53	PASS
Band VIII	2690	12750	-56.68	PASS
Band VIII	2690	12750	-57.47	PASS
Band VIII	2690	12750	-58.51	PASS
Band VIII	925	935	-87.91	PASS
Band VIII	925	935	-88.5	PASS
Band VIII	925	935	-88.7	PASS
Band VIII	925	935	-88.91	PASS
Band VIII	925	935	-89.78	PASS
Band VIII	925	935	-89.93	PASS
Band VIII	925	935	-71.64	PASS
Band VIII	925	935	-71.65	PASS
Band VIII	925	935	-71.72	PASS
Band VIII	935	960	-82.19	PASS
Band VIII	935	960	-82.27	PASS
Band VIII	935	960	-82.28	PASS
Band VIII	935	960	-82.28	PASS
Band VIII	935	960	-82.29	PASS
Band VIII	935	960	-82.29	PASS
Band VIII	935	960	-70.91	PASS



Frequency Band	Test Condition Range Start(MHz)	Test Condition Range Stop (MHz)	Measured Value(dBm)	Pass/Fail
Band VIII	935	960	-71.12	PASS
Band VIII	935	960	-71.3	PASS
Band VIII	1805	1830	-87.97	PASS
Band VIII	1805	1830	-89.05	PASS
Band VIII	1805	1830	-89.27	PASS
Band VIII	1805	1830	-89.7	PASS
Band VIII	1805	1830	-89.74	PASS
Band VIII	1805	1830	-89.76	PASS
Band VIII	1805	1830	-69.89	PASS
Band VIII	1805	1830	-70.58	PASS
Band VIII	1805	1830	-71.41	PASS
Band VIII	1830	1880	-77.56	PASS
Band VIII	1830	1880	-77.69	PASS
Band VIII	1830	1880	-78.1	PASS
Band VIII	1830	1880	-78.36	PASS
Band VIII	1830	1880	-78.49	PASS
Band VIII	1830	1880	-78.53	PASS
Band VIII	1830	1880	-70.05	PASS
Band VIII	1830	1880	-70.52	PASS
Band VIII	1830	1880	-71.14	PASS
Band VIII	2110	2170	-70.46	PASS
Band VIII	2110	2170	-70.71	PASS
Band VIII	2110	2170	-70.71	PASS
Band VIII	2620	2640	-67.88	PASS
Band VIII	2620	2640	-68.68	PASS
Band VIII	2620	2640	-68.74	PASS
Band VIII	2640	2690	-67.19	PASS
Band VIII	2640	2690	-67.24	PASS
Band VIII	2640	2690	-67.28	PASS
Band VIII	0.009	0.15	-80.75	PASS
Band VIII	0.009	0.15	-83.56	PASS
Band VIII	0.009	0.15	-88.41	PASS
Band VIII	0.15	30	-85.86	PASS
Band VIII	0.15	30	-86.01	PASS
Band VIII	0.15	30	-86.12	PASS



Frequency Band	Test Condition Range Start(MHz)	Test Condition Range Stop (MHz)	Measured Value(dBm)	Pass/Fail
Band VIII	30	925	-51.19	PASS
Band VIII	30	925	-51.33	PASS
Band VIII	30	925	-51.88	PASS
Band VIII	925	935	-89.29	PASS
Band VIII	925	935	-89.92	PASS
Band VIII	925	935	-90.61	PASS
Band VIII	935	960	-87.97	PASS
Band VIII	935	960	-88.46	PASS
Band VIII	935	960	-89.26	PASS
Band VIII	960	1000	-75.39	PASS
Band VIII	960	1000	-75.64	PASS
Band VIII	960	1000	-75.94	PASS
Band VIII	1000	1805	-62.13	PASS
Band VIII	1000	1805	-62.25	PASS
Band VIII	1000	1805	-62.83	PASS
Band VIII	1805	1830	-77.15	PASS
Band VIII	1805	1830	-77.54	PASS
Band VIII	1805	1830	-77.66	PASS
Band VIII	1830	1880	-87.55	PASS
Band VIII	1830	1880	-88.02	PASS
Band VIII	1830	1880	-88.35	PASS
Band VIII	1880	2110	-63.92	PASS
Band VIII	1880	2110	-64.04	PASS
Band VIII	1880	2110	-64.67	PASS
Band VIII	2110	2170	-62.74	PASS
Band VIII	2110	2170	-63.47	PASS
Band VIII	2110	2170	-63.66	PASS
Band VIII	2170	2585	-62.74	PASS
Band VIII	2170	2585	-63.79	PASS
Band VIII	2170	2585	-64.06	PASS
Band VIII	2585	2640	-60.61	PASS
Band VIII	2585	2640	-62.65	PASS
Band VIII	2585	2640	-62.81	PASS
Band VIII	2640	2690	-58.33	PASS
Band VIII	2640	2690	-60.54	PASS



Frequency Band	Test Condition Range Start(MHz)	Test Condition Range Stop (MHz)	Measured Value(dBm)	Pass/Fail
Band VIII	2640	2690	-61.58	PASS
Band VIII	2690	12750	-56.23	PASS
Band VIII	2690	12750	-58.18	PASS
Band VIII	2690	12750	-58.49	PASS
Band VIII	925	935	-88.76	PASS
Band VIII	925	935	-89.65	PASS
Band VIII	925	935	-89.78	PASS
Band VIII	925	935	-89.94	PASS
Band VIII	925	935	-90.19	PASS
Band VIII	925	935	-90.71	PASS
Band VIII	925	935	-69.91	PASS
Band VIII	925	935	-70.33	PASS
Band VIII	925	935	-70.62	PASS
Band VIII	935	960	-82.17	PASS
Band VIII	935	960	-82.17	PASS
Band VIII	935	960	-82.23	PASS
Band VIII	935	960	-82.24	PASS
Band VIII	935	960	-82.26	PASS
Band VIII	935	960	-82.26	PASS
Band VIII	935	960	-70.71	PASS
Band VIII	935	960	-71.43	PASS
Band VIII	935	960	-71.46	PASS
Band VIII	1805	1830	-87.14	PASS
Band VIII	1805	1830	-87.2	PASS
Band VIII	1805	1830	-88.1	PASS
Band VIII	1805	1830	-88.22	PASS
Band VIII	1805	1830	-88.87	PASS
Band VIII	1805	1830	-89.27	PASS
Band VIII	1805	1830	-71.11	PASS
Band VIII	1805	1830	-71.14	PASS
Band VIII	1805	1830	-71.18	PASS
Band VIII	1830	1880	-77.32	PASS
Band VIII	1830	1880	-77.76	PASS
Band VIII	1830	1880	-77.82	PASS
Band VIII	1830	1880	-77.83	PASS



Frequency Band	Test Condition Range Start(MHz)	Test Condition Range Stop (MHz)	Measured Value(dBm)	Pass/Fail
Band VIII	1830	1880	-77.96	PASS
Band VIII	1830	1880	-78.37	PASS
Band VIII	1830	1880	-70.68	PASS
Band VIII	1830	1880	-70.93	PASS
Band VIII	1830	1880	-71.43	PASS
Band VIII	2110	2170	-70.21	PASS
Band VIII	2110	2170	-70.89	PASS
Band VIII	2110	2170	-71.22	PASS
Band VIII	2620	2640	-69.23	PASS
Band VIII	2620	2640	-69.61	PASS
Band VIII	2620	2640	-69.74	PASS
Band VIII	2640	2690	-63.85	PASS
Band VIII	2640	2690	-64.01	PASS
Band VIII	2640	2690	-64.1	PASS
Band VIII	0.009	0.15	-86.39	PASS
Band VIII	0.009	0.15	-86.39	PASS
Band VIII	0.009	0.15	-87.84	PASS
Band VIII	0.15	30	-85.3	PASS
Band VIII	0.15	30	-86.85	PASS
Band VIII	0.15	30	-87.41	PASS
Band VIII	30	925	-50.39	PASS
Band VIII	30	925	-52.4	PASS
Band VIII	30	925	-53.51	PASS
Band VIII	925	935	-88.26	PASS
Band VIII	925	935	-89.51	PASS
Band VIII	925	935	-89.64	PASS
Band VIII	935	960	-87.05	PASS
Band VIII	935	960	-87.94	PASS
Band VIII	935	960	-89.2	PASS
Band VIII	960	1000	-73.73	PASS
Band VIII	960	1000	-74.29	PASS
Band VIII	960	1000	-75.35	PASS
Band VIII	1000	1805	-62.34	PASS
Band VIII	1000	1805	-62.67	PASS
Band VIII	1000	1805	-62.92	PASS




Frequency Band	Test Condition Range Start(MHz)	Test Condition Range Stop (MHz)	Measured Value(dBm)	Pass/Fail
Band VIII	1805	1830	-61.62	PASS
Band VIII	1805	1830	-62.38	PASS
Band VIII	1805	1830	-62.63	PASS
Band VIII	1830	1880	-87.15	PASS
Band VIII	1830	1880	-87.32	PASS
Band VIII	1830	1880	-87.67	PASS
Band VIII	1880	2110	-63.35	PASS
Band VIII	1880	2110	-63.35	PASS
Band VIII	1880	2110	-63.35	PASS
Band VIII	2110	2170	-63.24	PASS
Band VIII	2110	2170	-63.73	PASS
Band VIII	2110	2170	-64.04	PASS
Band VIII	2170	2585	-63.15	PASS
Band VIII	2170	2585	-63.34	PASS
Band VIII	2170	2585	-63.91	PASS
Band VIII	2585	2640	-62.54	PASS
Band VIII	2585	2640	-63.31	PASS
Band VIII	2585	2640	-63.54	PASS
Band VIII	2640	2690	-61.9	PASS
Band VIII	2640	2690	-62.32	PASS
Band VIII	2640	2690	-63.1	PASS
Band VIII	2690	12750	-56.02	PASS
Band VIII	2690	12750	-58.14	PASS
Band VIII	2690	12750	-58.39	PASS
Band VIII	925	935	-87.49	PASS
Band VIII	925	935	-88.2	PASS
Band VIII	925	935	-88.73	PASS
Band VIII	925	935	-89.59	PASS
Band VIII	925	935	-89.61	PASS
Band VIII	925	935	-89.97	PASS
Band VIII	925	935	-80.03	PASS
Band VIII	925	935	-80.18	PASS
Band VIII	925	935	-80.21	PASS
Band VIII	935	960	-82.2	PASS
Band VIII	935	960	-82.21	PASS




Frequency Band	Test Condition Range Start(MHz)	Test Condition Range Stop (MHz)	Measured Value(dBm)	Pass/Fail
Band VIII	935	960	-82.25	PASS
Band VIII	935	960	-82.26	PASS
Band VIII	935	960	-82.27	PASS
Band VIII	935	960	-82.28	PASS
Band VIII	935	960	-71.33	PASS
Band VIII	935	960	-71.49	PASS
Band VIII	935	960	-71.67	PASS
Band VIII	1805	1830	-77	PASS
Band VIII	1805	1830	-77.12	PASS
Band VIII	1805	1830	-77.19	PASS
Band VIII	1805	1830	-77.3	PASS
Band VIII	1805	1830	-77.8	PASS
Band VIII	1805	1830	-77.82	PASS
Band VIII	1805	1830	-63.93	PASS
Band VIII	1805	1830	-64.06	PASS
Band VIII	1805	1830	-64.37	PASS
Band VIII	1830	1880	-83.95	PASS
Band VIII	1830	1880	-84.08	PASS
Band VIII	1830	1880	-84.08	PASS
Band VIII	1830	1880	-84.13	PASS
Band VIII	1830	1880	-84.19	PASS
Band VIII	1830	1880	-84.29	PASS
Band VIII	1830	1880	-75.06	PASS
Band VIII	1830	1880	-76.69	PASS
Band VIII	1830	1880	-78.24	PASS
Band VIII	2110	2170	-69.65	PASS
Band VIII	2110	2170	-70.41	PASS
Band VIII	2110	2170	-70.56	PASS
Band VIII	2620	2640	-68.87	PASS
Band VIII	2620	2640	-69.72	PASS
Band VIII	2620	2640	-69.83	PASS
Band VIII	2640	2690	-69.59	PASS
Band VIII	2640	2690	-69.72	PASS
Band VIII	2640	2690	-69.9	PASS

2. Radiated spurious emissions-Band I




Fre. (MHz)	Peak	Limit(PK)	Antenna	Verdict
125.060	-70.48	-36.00	Horizontal	PASS
365.620	-55.77	-36.00	Horizontal	PASS
2139.016	-42.05	-30.00	Horizontal	N.A
5372.377	-48.22	-30.00	Horizontal	PASS
7843.890	-44.55	-30.00	Horizontal	PASS
11083.252	-40.45	-30.00	Horizontal	PASS




Fre. (MHz)	Peak	Limit(PK)	Antenna	Verdict
75.590	-62.88	-36.00	Vertical	PASS
151.250	-65.24	-36.00	Vertical	PASS
299.660	-60.75	-36.00	Vertical	PASS
2139.016	-40.48	-30.00	Vertical	PASS
5675.086	-48.46	-30.00	Vertical	PASS
9113.793	-42.64	-30.00	Vertical	PASS

Radiated spurious emissions-Band II




Fre. (MHz)	Peak	Limit(PK)	Antenna	Verdict
125.060	-70.40	-36.00	Horizontal	PASS
294.810	-65.44	-36.00	Horizontal	PASS
1878.400	-47.28	-30.00	Horizontal	PASS
1960.000	-46.61	-30.00	Horizontal	PASS
4248.360	-48.40	-30.00	Horizontal	PASS
11067.130	-40.35	-30.00	Horizontal	PASS




Fre. (MHz)	Peak	Limit(PK)	Antenna	Verdict
74.620	-61.24	-36.00	Vertical	PASS
225.940	-60.81	-36.00	Vertical	PASS
1878.400	-46.70	-30.00	Vertical	N.A
1958.933	-44.19	-30.00	Vertical	N.A
5610.490	-48.48	-30.00	Vertical	PASS
12128.820	-40.63	-30.00	Vertical	PASS

Radiated spurious emissions-Band V




Fre. (MHz)	Peak	Limit(PK)	Antenna	Verdict
72.723	-74.65	-36.00	Horizontal	PASS
188.268	-63.82	-36.00	Horizontal	PASS
832.993	-58.55	-36.00	Horizontal	N.A
880.571	-47.83	-36.00	Horizontal	N.A
2508.236	-46.57	-30.00	Horizontal	PASS
5006.352	-46.22	-30.00	Horizontal	PASS




Fre. (MHz)	Peak	Limit(PK)	Antenna	Verdict
74.665	-64.40	-36.00	Vertical	PASS
120.300	-63.03	-36.00	Vertical	PASS
832.993	-64.33	-36.00	Vertical	PASS
880.571	-47.68	-36.00	Vertical	N.A
1671.691	-55.03	-30.00	Vertical	PASS
4505.452	-48.23	-30.00	Vertical	PASS

Radiated spurious emissions-Band VIII



Fre. (MHz)	Peak	Limit(PK)	Antenna	Verdict
72.680	-73.69	-36.00	Horizontal	PASS
293.840	-60.14	-36.00	Horizontal	PASS
896.210	-44.57	-36.00	Horizontal	N.A
942.770	-49.40	-36.00	Horizontal	N.A
2689.320	-52.40	-30.00	Horizontal	PASS
9169.080	-42.85	-30.00	Horizontal	PASS



Fre. (MHz)	Peak	Limit(PK)	Antenna	Verdict
75.590	-63.48	-36.00	Vertical	PASS
218.180	-62.05	-36.00	Vertical	PASS
896.210	-51.36	-36.00	Vertical	PASS
940.830	-48.69	-36.00	Vertical	PASS
4307.230	-46.80	-30.00	Vertical	PASS
9083.820	-42.73	-30.00	Vertical	PASS

Note: N.A means the frequency is the basic frequency or the base station frequency,they are no need to verdict.

Annex D Photographs of the EUT

1



2



3



4



Annex E Test Uncertainty

EN301 908-1		Uncertainty
Effective radiated RF power between 30 MHz and 180 MHz		±3.74dB
Effective radiated RF power between 180 MHz and 12,75 GHz		±2.90dB
Conducted RF power		±0.5dB
3GPP 34.121-1	Test Description	Uncertainty
5.2 5.2A / 5.2AA 5.2B 5.2E	Maximum Output Power Maximum Output Power with HS-DPCCH Output Power with HS-DPCCH and E-DCH UE Relative Code Domain Power Accuracy for HS-DPCCH and E-DCH with 16QAM	±0.5dB
5.4.3	Minimum Output Power	±0.97dB
5.4.4	Out-of-synchronisation Handling of Output Power	±0.3dB
5.9 5.9A 5.9B	Spectrum Emission Mask Spectrum Emission Mask with HS-DPCCH Spectrum Emission Mask with E-DCH	±1.5dB
5.10 5.10A 5.10B	Adjacent Channel Leakage Power Ratio (ACLR) Adjacent channel leakage power ratio with HS-DPCCH Adjacent channel leakage power ratio with E-DCH	5MHz offset:±0.8dB 10MHz offset: ±0.8dB
5.11	Transmitter Characteristics / Spurious Emissions: coexistence bands for results ≥ -60dBm coexistence bands for results < -60dBm Outside above: f < 2.2GHz Outside above: 2.2GHz < f ≤ 4GHz Outside above: f > 4 GHz	±2.0dB ±3.0dB ±1.05dB ±1.53dB ±2.51dB
6.2	Reference Sensitivity Level	±0.30dB
6.4 / 6.4A	Adjacent channel selectivity	±0.79dB
6.5	Blocking characteristics System error with f <15MHz offset f ≥ 15MHz offset and fb ≤ 2.2GHz 2.2GHz < f ≤ 4GHz f > 4GHz	±1.09dB ±0.69dB ±1.55dB ±2.52dB
6.6	Spurious Response f < 2.2GHz 2.2GHz < f ≤4GHz f > 4GHz	±0.69dB ±1.55dB ±2.52dB



6.7	Intermodulation Characteristics	$\pm 0.91\text{dB}$
6.8	Receiver Characteristics / Spurious Emissions:	
	for UE receive band and UE transmit band (-60dBm)	$\pm 3.0\text{dB}$
	Outside above: $f \leq 4\text{GHz}$	$\pm 2.0\text{dB}$
	Outside above: $f > 4\text{GHz}$ (-47 dBm)	$\pm 4.0\text{dB}$
	Downlink signal for	$\pm 2.0\text{dB}$



Annex F General Information

1. Identification of the Responsible Testing Laboratory

Company Name:	Shenzhen Morlab Communications Technology Co., Ltd.
Department:	Morlab Laboratory
Address:	FL.3, Building A, FeiYang Science Park, No.8 LongChang Road, Block 67, BaoAn District, ShenZhen, GuangDong Province, P. R. China
Responsible Test Lab Manager:	Mr. Su Feng
Telephone:	+86 755 36698555
Facsimile:	+86 755 36698525

2. Identification of the Responsible Testing Location

Name:	Shenzhen Morlab Communications Technology Co., Ltd. Morlab Laboratory
Address:	FL.3, Building A, FeiYang Science Park, No.8 LongChang Road, Block 67, BaoAn District, ShenZhen, GuangDong Province, P. R. China

3. Test Equipments Utilized

3.1 Agilent GS8800 System

Agilent GS8800 RF test system						
No.	Equipment Name	Serial No.	Type	Manufacturer	Cal.Date	Cal.Due Date
1	8960 Wireless Communications Test Set	GB45071068	E5515C	Agilent	2016.06.08	2018.06.08
2	PSA Series Spectrum Analyzer	MY44200685	E4445A	Agilent	2016.11.02	2018.11.02
3	Mobile Communications DC Source	MY43000858	66319D	Agilent	2017.05.24	2018.05.23
4	EPM Series Power Meter	GB43318055	E4418B	Agilent	2017.05.17	2018.05.16
5	ESG Vector Signal Generator	MY49070387	E4438C	Agilent	2017.05.24	2018.05.23
6	PSG Analog Signal Generator	MY46521361	E8257D	Agilent	2017.05.24	2018.05.23
7	Electrical Safety Check	MY46130112	N9370A-001	Agilent	2017.05.24	2018.05.23
8	RF Interface	MY45490180	N1960-80103	Agilent	N/A	N/A



REPORT No. : SZ17080130W02

9	GSM Module	MY45490176	N1960-80104	Agilent	2017.05.24	2018.05.23
10	Wireless Channel Emulator	WCE301M5	SR5500	Spirent	2017.05.24	2018.05.23
11	Industrial PC	0950-4838	TBN-8060256	Advantech	N/A	N/A

Software Version: RCT.2.8.1.0.0

3.2 RSE Test System

RSE Test System

No.	Equipment Name	Serial No.	Type	Manufacturer	Cal. Date	Cal.Due Date
1	System Simulator	GB43130131	E5515C	Agilent	2017.05.24	2018.05.23
2	Receiver	MY54130016	N9038A	Agilent	2017.05.24	2018.05.23
3	Anechoic Chamber	N.A	9m*6m*6m	Albatross	2017.01.11	2018.01.10
4	Test Antenna - Biconical	9163-519	VULB 9163	Schwarzbeck	2016.12.09	2017.12.08
5	Test Antenna - Biconical	9120D-963	BBHA 9120D	Schwarzbeck	2017.03.30	2018.03.29

3.3 Climate Chamber

Climate Chamber

No.	Equipment Name	Serial No.	Type	Manufacturer	Cal.Date	Cal.Due Date
1	Climate Chamber	12108015	DTL-003S/01	YOMA	2017.05.24	2018.05.23

3.4 Vibration Table

Vibration Table

No.	Equipment Name	Serial No.	Type	Manufacturer	Cal.Date	Cal.Due Date
1	Vibration Table	N/A	ACT2000-S015L	CMI-COM	2017.05.24	2018.05.23

3.5 Anechoic Chamber

Anechoic Chamber

No.	Equipment Name	Serial No.	Type	Manufacturer	Cal.Date	Cal.Due Date
1	Anechoic Chamber	N/A	9m*6m*6m	Changning	2017.05.24	2018.05.23

***** END OF REPORT *****